

Web Table I DEMOGRAPHIC, SOCIO ECONOMIC AND OBSTETRIC PROFILE OF WOMEN DELIVERED IN AN URBAN SLUM AREA IN CHANDIGARH CITY, 2010-12

<i>Socio demographic and obstetric profile</i>	<i>Pre JSSK period n (%)</i>	<i>Post JSSK period n (%)</i>	<i>P value</i>
<i>Age</i>			
15-20	6 (2.6)	12 (6.2)	0.1
21-25	108 (46.4)	83 (43.2)	
26-30	101 (43.3)	74 (38.5)	
31-35	18 (7.7)	23 (12.0)	
<i>Caste</i>			
General	55 (23.6)	50 (26.0)	0.8
OBC	20 (8.6)	20 (10.4)	
SC	152 (65.2)	118 (61.5)	
ST	6 (2.6)	6 (6.1)	
<i>Religion</i>			
Hindu	219 (94.0)	170 (88.5)	0.08
Others	14 (6.0)	20 (9.5)	
<i>Education</i>			
Illiterate	31 (13.3)	28 (17.2)	0.97
Upto Primary	37 (15.9)	35 (18.3)	
Middle	48 (20.6)	36 (18.8)	
Matric	39 (16.7)	35 (18.2)	
Senior Secondary	48 (20.6)	37 (19.3)	
Graduate& Post graduate	30 (12.9)	21 (10.9)	
<i>Occupation of women</i>			
			0.9
Working	15 (6.4)	12 (6.2)	
Non working	218 (93.6)	180 (93.8)	
<i>Income (in Rs.)</i>			
0-5000	70 (30.0)	68 (35.4)	0.6
5001-10000	97 (41.6)	76 (39.6)	
10001-15000	29 (12.4)	23 (12.0)	
>150000	37(15.9)	25(13.0)	
<i>Parity</i>			
1	96 (41.2)	78 (40.6)	0.3
2	96 (41.2)	66 (34.4)	
3	23 (9.9)	31 (16.1)	
4	12 (5.2)	12 (6.2)	
5	6 (2.6)	5 (2.6)	
<i>Type of delivery</i>			
Normal	48 (20.6)	41 (21.4)	0.7
Normal with episiotomy	131(56.2)	113 (58.9)	
Caesarean Section	54 (23.2)	38 (19.8)	
<i>Place of delivery</i>			
Govt. hospital	190 (87.5)	155 (85.6)	0.7
Private hospital or home delivery	27 (12.4)	26 (14.4)	

Web-Table II DETERMINANTS OF OUT OF POCKET EXPENDITURE (INR) FOR ANTENATAL CARE DURING PRE AND POST JSSK PERIOD AMONG URBAN SLUM DWELLERS IN CHANDIGARH

<i>Out of Pocket expenditure Category</i>	<i>All Institutions Mean (SE) in INR</i>		<i>P value</i>	<i>Public Sector only Mean (SE) in INR</i>		<i>P value</i>
	<i>Pre JSSK period n₁=233</i>	<i>Post JSSK period n₂=192</i>		<i>Pre JSSK period n₁=169</i>	<i>Post JSSK period n₂=141</i>	
Overall expenditure	4951(443.6)	4892 (447.6)	0.927	4631(452.3)	4337 (370.4)	0.623
Direct expenditure	4482 (423.6)	4446 (435)	0.953	4071(421.1)	3863 (349.7)	0.711
OPD fees	1047 (207.3)	832.9 (146.6)	0.420	671(100)	618 (151.2)	0.764
Medicines	3257 (369.4)	3071(358.1)	0.720	2832 (395.6)	2879 (415.6)	0.934
Immunization	116.6 (16.6)	124 (34.2)	0.843	Nil	110 (90)	Nil
Diagnostic investigations	1502 (175.3)	1787 (314.8)	0.412	1240 (129.8)	1303 (201.5)	0.787
Transportation	450.4 (20.3)	474.38 (25.7)	0.460	457 (22.9)	487 (30.9)	0.419
Indirect Cost Loss of wage	1452 (157.1)	1354 (147.5)	0.652	1471 (179.7)	1243(143.9)	0.327

Web-Table III DETERMINANTS OF OUT OF POCKET EXPENDITURE (INR) FOR DELIVERY DURING PRE AND POST JSSK PERIOD AMONG URBAN SLUM DWELLERS IN CHANDIGARH

<i>Out of Pocket expenditure Category</i>	<i>All Institutions Mean (SE) in INR</i>		<i>P value</i>	<i>Public Sector only Mean (SE) in INR</i>		<i>P value</i>
	<i>Pre JSSK period n₁=219</i>	<i>Post JSSK period n₂=180</i>		<i>Pre JSSK period n₁=169</i>	<i>Post JSSK period n₂=141</i>	
Overall expenditure	6470(461)	4979 (494)	0.028	5342(344)	3565(244)	0.001
Direct expenditure	5781(446)	4350 (489)	0.031	4590(304)	2785(194)	0.001
Delivery	6583(1862)	1389 (326)	0.001	347(6)	Nil	0.001
Medicines	3524(292)	2721 (261)	0.047	3010(251)	2207(204)	0.016
Admission	27.5(0.5)	25.6 (0.1)	0.001	25(.03)	Nil	0.878
Bed charges	337.8(16)	158.3 (164)	0.020	166(32)	175(68)	0.002
Investigation	276(99)	171.1 (70)	0.430	462(186)	254(160)	0.420
Diet charges	189.8.1(14)	170 (30)	0.610	149(29)	128(44)	0.643
Informal charges	543.8(56)	447.6 (34)	0.202	506(39)	430(29)	0.09
Transportation	169.3(9)	145.2 (7)	0.055	171(10)	150(8)	0.143
Indirect Cost Loss of wage	1135(120)	1011(101)	0.437	092(127)	1067(112)	0.881
Attendant stay	321.4(23)	303.7(28)	0.630	1319(26)	294(30)	0.523

WEB-TABLE IV PREVALENCE OF CATASTROPHIC HEALTH EXPENDITURE* FOR DELIVERY AMONG WOMEN FROM URBAN SLUM COLONY IN CHANDIGARH

<i>Characteristic</i>	<i>Strata</i>	<i>Pre JSSK</i>	<i>Post JSSK</i>
Religion	Hindu	18.6	13
	Others	23.1	17.6
	<i>P</i> value	0.705#	0.715#
Occupation	Employed	37.5	25
	Unemployed	18.1	12.9
	<i>P</i> value	0.177#	0.296#
Education	Up to Middle	17.8	18.4
	Matric and above	19.3	13.3
	<i>P</i> value	0.821	0.446
Caste	General	17.4	14.3
	OBC	22.2	10.5
	SC/ST	19	13.8
	<i>P</i> value	0.905	0.917
Socio-economic status	Poor	40.3	23.6
	Non Poor	8.6	4.8
	<i>P</i> value	<i>P</i> =0.001	<i>P</i> <0.001
Overall	Mean	21.2	15.6
	<i>P</i> -value	0.151	

*Catastrophic health expenditure computed at 10% of total consumption expenditure; *p*-values computed using Chi-square test; except # using Fisher's exact test.